

FAX #206-442-0124

TO:MR. DAVID CROXTON
U.S.EPA, REGION 10
1200 SIXTH AVE., HW 112
SEATTLE, WA. 98101

From:Robert S. Farrell
Box 462, RFD 1
Augusta, Maine 04330

REF: CHEMPRO-PIER 91, DRAFT WORK FOAR



Box 462, RFD 1 Augusta, Maine 04330 November 23, 1990

Mr. David Croxton U.S. EPA, Region 10 1200 Bixth Ave., HW 112 Seattle, WA 98101

REF: Review of Draft Work Plan, Champro Fier 91, September 4, 1990

r Mr. Croxton:

The September, 1990 draft work plan appears to is a been used on the April 24, 1989 Hydrogeologic Tovestigation of the Pier 91 facility. In order to evaluate the draft part plan it was necessary to evaluate the earlier hydrogeologic investigation. The April, 1989 investigation does not present a clampate discussion of the local hydrogeology for what should be a cred in the hydrogeologic setting for share the Pier of facility is located. No discussion is made of how the Graft fet is collected during the investigation fits the expected costits in the site is located in a located in the east and disgnolis mill are a located. The site is no disgnolis mill are a located that the area would be one of ground water discharge. Deeper ground water should have higher head than shallows or the water.

Three stratigraphic units are defined in the Speit, 1987 report. There is an upper send and gravel unit that is indicated to be fill. Below this a silty sand unit believed to be the original surface of the cove that was filled. Below is a sand to gravelly sand unit. This lower unit is not laterally continuous and appears to be replaced by a silt unit just north of the facility. The silty sand layer is called an aquitard that separates the ground water in the upper sand layer from the ground water in the lower sand layer. No basis is presented in the April, 1989 investigation for calling this silty sand layer an aquitard. No sieve analyzes, pump tests, slug tests, nor other basis is presented which demonstrates that this unit is an aquitard. The report claims that one well fr-1051 was completed and tested in this aquitard. The boring log indicates that this well was completed in a silt layer at the same elevation as the other wells in the lower sand unit. The hydraulic conductivity testing for this one well gave similar results as wells CP 103A (shallow), CP 103B (deep), CP 104B (deep), CP 106 (shallow), and CP 109 (shallow). Of the 12 slug tests shown on table 3-1, six are the same order of magnitude as CP 105B. Outside of observational data from the boring logs there is no supporting data for the definition of the silt sand layer as an aquitard.

This aquitard is of critical importance in understanding the ground water flow at this site. If it is a legitimate barrier to ground water flow vertically, then it should prevent vertical migration of contaminates and should result in a considerable cost savings in the volume of ground water that has to be cleaned up. At a minimum a contour map of the upper surface of the additard should have been prepared. This surface has the potential to control the spread of DNAPLs, change the ground water velocity as the upper aquifer thins and thickens, and change the direction of ground water flow. Attached figure 1 is a contour map of the upper surface of the silty sand layer. The most important feature is a four to 5 foot drop in the burface that runs north/south down the west eids of the facility. The change in elevation of the bottom of the upper agester from 215 to -10 feet should have a significant impact on the velocity of ground water on either side of the escarphent.

Attached figure 2 is a contour map of the March data for the shallow aquifer. There is a doubling of Letween wells 10s and 109 and wells 109 and 107 or a accord with what should be expected if the this suffer is decreased by half. To move the same volumes the doubling of the ground water of a 19. Since 0, K. and he are considered.

ange in velocity does not demonstrate to an aquitare but, it is consisted with the tests that are normally performed to do a magnitude have not been done. Propriested when we do determine the amount of interconnection of a medical and layer. Hydraulic conductivity tests should be performed in situ. The contract that has claimed to have ean performed on the about 105ED is of quest objected.

The April, 1989 hydrogeologic investigation report disconnect to the profession of the geologic serion, vertical dependents do not make sense unless ground water withdrawal is an rring. This downward gradient has to be considered in a of the much higher specific conductivities and aguifer wells. These higher specific conductivities suggest salt water intrusion into the deeper squifer. Again this suggests that pumping is occurring in this area.

Well 1058 is indicated as being in the silty sand aquitard. The boring log indicates that the lower half of the well screen is in a silt layer and the wells completion elevation is consistent with that of the other three wells that were completed in the lower sand aquifer. The hydrologic data for this well is not consistent with a well that has been completed in a stit layer or an aquitard. First, as was pointed out above, the hydraulic conductivity for this well is not significantly different from many other wells completed in the sand and gravel units as to suggest a different sedimentary material or unit. If this well were completed in a silt layer or in an aquitard, there should have been a significantly lower hydreulic conductivity than the upper sand and lower sand aquifers. Second, the silt layer or aquitard' should have resulted in a lower ability to transmit ground water. This lower ability to transmit water should have resulted in higher gradients between the wells located horizontally at the same elevation (is. lower same squifer wells). This is not the case. The horizontal gradient is the February, 1989 data indicates that the practient between 1056 and 104B is half the gradient between 104B and 103E. This is he reverse of what should be expected.

Many of the wastes that have been reported in the good water have the potential for forming DNAPLs. Given the shepe of the top of the silty sand layer and its possible control on the direction of movement of a DNAPL, only well 109 is located horizontally so as to detected a DNAPL of one were present however, the screen for well 109 is located 5 feet above the top of the silty sand layer. The result is that nothing is brown about the presence of DNAPLs.

The monitoring wells are constructed so that they have water tight caps. The problem with such construction is that water tight usually means air tight so that the wells are not vented. This is not a secious problem for water table wells where the screening is about the water table allowing venting from the well into the vadous cone. On wells with screening below the water table there is no way for the changes in water pressure to be vented. Significant water elevation errors may result.

## PROPOSAL-September 4, 1990

The proposal consists of installing 10 her wells with soil sampling and testing (eight wells 15 feet deep and two 20 feet deep), sampling the water quality in all wells once, and taking two rounds of water level measurements (pg c-6). Three of the proposed wells are to define the extent of the plume (111, 112, and 113). The remaining wells are internal to the contaminated area or upgradient (well 114). From the conceptual model of the site that is presented in the April, 1989 investigation the location and depth of wells is reasonable. As the review of the April, 1989 report has shown, there are numerous questions

requiring answers about the site's hydrogeology and contaminate distribution.

On figure C-1 of the proposal a series of W wells are shown. No data is provided about these wells nor what was detected from their sampling or water levels. A Lake Jacobs is shown. Obviously this is a manmade pond of some kind, but some information has to be provided about its water budget and its construction. This is particularly important in light of the tidal influence that has been shown for wells 103 and 108. It is important to the ground water flow in the upper sand aquifer to define the water budget of this pond. It must be known what the source of water is for the pond and how it influences ground water flow around the pond. The change in flow direction from north to west shown on attached figure 2 suggests that leakage is occurring from the pond to the ground water. In all probability Lake Jacobs is a fire control pond. If so, it is possible for contaminates to discharge to the pond under various seasonal and operational conditions.

Three or four deep aquifer wells are not enficient to define the ground water flow nor the degree of contamination in the lower aquifer. Additional wells are necessary in the lower aquifer.

Based on the information contained in the April, 1909 investigation, no additional shallow agained walls are recommended beyond those proposed in the work plan. It is important that the wells that are interior to the plane to constructed so that they are capable of detecting DNAPLs if its are present.

Testing needs to be done to demonstrate the degree of interconnection between the upper sand aquifer and the lower sand aquifer. This can only be done through the proper use of pump testing for vertical and horizontal interconnections between the wells. It is particularly important to determine the hydraulic wells. It is particularly sand layer and the silt layer through properties of the silty sand layer and the silt layer through actual field testing and pump tests. The relationship of well 1058 to the other wells has to be understood in light of the conflict in the observations of silt in the boring log and the inconsistent hydraulic conductivity and gradients that are observed at the well.

Part of the investigation should include a determination of why the relationship between the upper and lower aquifers is reversed from that which should be expected in a ground water discharge area. Part of this investigation should include an inventory of uses that are being made in the facility area of the ground water. Further, since there are numerous manmade ground water. Further, since there are numerous manmade structures near the facility such as piers, bulkheade, sheet bructures near the facility such as piers, bulkheade, sheet billings, utility conduits, etc. that could influence the direction of ground water flow, an inventory should be made of

these features and a determination of their impact on ground water flow and contaminate migration is needed.


Just one sampling or two water level measuring events is not sufficient to understand the seasonal changes that are possible in this aquifer. A regular sampling and monitoring program has to be established that is consistent with site's hydrogeology. At a minimum monthly water levels should be collected for at least a year. Quarterly water quality samples should be taken. After at least a year's amount of data and the various testing that is recommended, then modifications to the sampling and analysis planshould be considered.

It is unlikely that the proposed three wells to define the limits of the plume will actually define the limits of the plume. This will be for two reasons. If the wells detect contamination it will be clear that additional wells will be necessary to define the full extent of the plume. If the wells are clean then there are not enough wells to know if the plume has been missed because the direction of plume migrations is different than that predicted or that the plume actually has not migrated this fer at this time. Planning should be initiated for both of these possibilities.


Sincerely,

Robert S. Farrell

Consultant



ELEVATION OF THE TOP OF THE SILTY SAND LAYER



UPPER SAME AGMITHE CONTOUR MAP
MARCH 1, 1989